


 NFPA STD 79  
 UL STD 508  
 UL SUBJECT 2011  
 CERTIFIED TO  
 CSA STD C22.2 NO. 73  
 Intertek  
 9700845

**HAAS** **MILL MODEL**  
 EC-1600ZT

HAAS AUTOMATION, INC. OXNARD, CA. 93030

SERIAL NUMBER..... 2055830

DATE OF MFG..... 11/2023

VOLTAGE..... 220

PHASE..... 3

HERTZ..... 50/60

FULL LOAD..... 105 AMPS

LARGEST LOAD..... 98 AMPS

SHORT CIRCUIT INTERRUPTING CAPACITY - 10,000 AMPS

WIRING DIAGRAM..... 96 0284

SHORT CIRCUIT CURRENT - 5,000 AMPS RMS SYMMETRICAL

ARC FLASH RATING: 208 - 240VAC MODELS HRC-1,  
 360-480VAC MODELS HRC-2

NEMA TYPE 2 ENCLOSURE - FOR INDOOR USE ONLY.  
 OVER CURRENT PROTECTION PROVIDED  
 AT MACHINE SUPPLY TERMINALS.

MADE IN USA  
 P/N 29-10048C REV. A

CE  
 EAC  
 UK  
 CA





