


 ETL LISTED  
 CONFORMS TO  
 NFPA STD 79  
 UL STD 508  
 UL SUBJECT 2011  
 CERTIFIED TO  
 CSA STD C22.2 NO. 73  
 Intertek  
 9700845

**HAAS** LATHE MODEL

ST-10Y

HAAS AUTOMATION, INC. OXNARD, CA. 93030

SERIAL NUMBER..... 3123519

DATE OF MFG..... 03/2022

VOLTAGE..... 220

PHASE..... 3

HERTZ..... 50/60

FULL LOAD..... 48 AMPS

LARGEST LOAD..... 35 AMPS

SHORT CIRCUIT INTERRUPTING CAPACITY - 10,000 AMPS

WIRING DIAGRAM..... 96 0204

SHORT CIRCUIT CURRENT - 5,000 AMPS RMS SYMMETRICAL

ARC FLASH RATING: 208 - 240VAC MODELS HRC-1,  
360-480VAC MODELS HRC-2

NEMA TYPE 2 ENCLOSURE - FOR INDOOR USE ONLY.  
OVER CURRENT PROTECTION PROVIDED  
AT MACHINE SUPPLY TERMINALS.

MADE IN USA  
P/N 29-10048C REV. A

CE  
EAC  
UK  
CA





















